## **ECLIPSE SETTINGS**

- First, create a new user for Ai-World work
- Alt U, Click on Realtime tab

User settings			
User Paragraphs De Input Realtime Transla	ocument Edit Display te Numbers Programming		
Flush Delay: 2000 ms	Output formats: Add Delete Change ANSI, COM3 9600		
Stop follow on unresolved Hide cursor when following Auto-rename realtime jobs Filename: RT%m%d%y-%H%N	<ul> <li>✓ Auto-brief Settings</li> <li>✓ Eclipse is top window</li> <li>Solit window</li> </ul>		
Division Interval 0 💭 Division overlap Edit word buffer 0 🚔 Wait for cursor	WAV Audio settings: Compression Levels Auto-restart Auto-pause: 0		
ОК	Help		

- Below Output formats, click on Add (or Change)
- For Output, choose ANSI
- For Comm, choose COM port
- Click Setup

🌾 Output format		×
Output	ANSI	ОК
Comm	COM port  Setup >>	Cancel
Output charac	teristics	
Apply edit:	All caps Auto-dia Flush word	1
Force marg	gin: Allow backspace Audio Timeout to	0
Left	0 💿 1 Roll-up caption Wait time to	0
Right	999 2 Pop-on caption Max Starting	13 🔺
Indentatio	n: 0 🔄 3 Pre-senc 15 😴 Total	3 🔺
URL /	http://uk-stream.ai-live.com Maximum WPM	0
Uniform bo	oxe Foregroun White	-
Attribute Norn	nal 🔻 Semi-transparent Background Black	-
Caption	CC1   Auto-block Mode: Passthr	rough 👻
Encoder Sma	rt encoder 👻 🗹 Mode reiteratio Hangup Passthr	rough 👻

- In 'Port' select one number from your com0com pair. The other one will be used in Ai-Stream
- Match the settings below for Baud, Parity, Data and Stop

COM port setup			
Port	3		
Baud	9600 🔹		
Parity	None 🔻		
Data	8 •		
Stop	1		
Device manager			
OK Cancel			

- Click Force Margins and type 9999 in the box below that.
- Cut and paste <a href="http://stream.ai-live.com">http://stream.ai-live.com</a> into the box beside URL
- Flush word = 1
- (You may need to adjust Flush word and Flush Delay. If it's too high, your endings may not work correctly)
- Click Allow backspace

🔖 Output format		<b></b>
Output ANSI	٠	• ок
Comm COM p	ort   Setup >>	Cancel
Output characteristic	s	
Apply edit:	All caps Auto-dia Flush wor	rd 1 🚔
Force margin:	Allow backspace Audio Timeout t	to 0
Left 0	I Roll-up caption Wait time to the second	to 0
Right 999	2 Pop-on caption Max Startin	g 13 🔺
Indentation: 0	→ 3 Pre-senc 15 → Tota	al 3 🔺
URL /	4aximum WPI	м 💽
Uniform boxe	Foregroun Whit	te 🔻
Attribute Normal	<ul> <li>Semi-transparent Blackground Black</li> </ul>	k 🔻
Caption CC1	✓ Auto-block ✓ Mode: Pass	sthrough 👻
Encoder Smart enco	der 👻 🗸 Mode reiteratio Hangup Pass	sthrough 👻

• Click on the User tab

User settings	<b>X</b>
User Paragraphs Doo Input Realtime Translate Flush Delay: 2000 ms Pending translation display	Edit     Display       Numbers     Programming       Dutput formats:     Add       Add     Delete       Change       ANSI, COM3 9600
Stop follow on unresolved Hide cursor when following Auto-rename realtime jobs Filename: RT%m%d%y-%H%N Division Interval Division overlap Edit word buffer	<ul> <li>Auto-brief Settings</li> <li>Eclipse is top window</li> <li>Split window 0 </li> <li>WAV Audio settings:</li> <li>Compression Levels</li> <li>Auto-restart</li> </ul>
Wait for cursor	Auto-pause: 0

- Click Save Settings
- In your Main dictionary, you need to create an entry to force your text out. It is { \$\$TRANSMIT }. You can also add a cap next command to it.

斗 Entry properties			
Steno	-FRPB	Add	ОК
Text	{ \$\$TRANSMIT }{- }		Cancel
Comment:			Advanced
Language:	Standard	A/I data contexts:	0
Created: Modified: Last used:	Wed Sep 24 10:58:20 2014 Mon Jan 30 15:14:34 2017 Tue Mar 08 14:00:42 2016	1	
Definition:	No definition found.		*
			Ŧ